











## FIRMWARE UPGRADE

### AP

Firmware Lists:

- Model
- Firmware Version
- Upload Date
- Actions

Maintenance Window

Upload

Upgrade Now

### Switch

Firmware Lists:

- Model
- Firmware Version
- Upload Date
- Actions

Maintenance Window

Upload

Upgrade Now

## ALERT SETTINGS

### AP

#### Basic

AP go offline for

Event with severity

#### Professional

Configuration changed within network

### Switch

#### Basic

AP go offline for

Event with severity

#### Professional

Configuration changed within network

Switch Port link status change

Switch STP port status change

Switch LBD status change

## VLAN SETTINGS

### Display

VLAN ID

Name

Voice VLAN

SSID

### Add VLAN

VLAN ID

Name

## SWITCH SETTINGS

### System & Protocols

Spanning Tree Protocol:

- Protocol
- Bridge Priority

LLDP

Voice VLAN:

Voice VLAN ID

QoS Priority

Mode

OUIs:

- OUI Address
- Description

Quality of Service:

Trust Mode

Scheduling Method

Queue Mapping:

- CoS
- DSCP

IGMP Snooping:

Version

VLANs

Jumbo Frames:

MTU Size

## GENERAL SETTINGS

### Network

#### EnGenius US

Country

Time Zone

#### Local Credential

Username

Password

#### SNMP

SNMP State

Community

### AP

LED Light

Syslog Server:

- Status
- Log Server Address
- Log Server Port

Message for Blocked Client

Advanced Settings

Presence Reporting:

- Server Location
- Key
- Interval

Traffic Log

Multicast to Unicast

### Switch

LED Light

Syslog Server:

- Status
- Log Server Address
- Log Server Port

## ACCESS CONTROL

Blocked List

VIP List

## ANALYZE

### EVENT LOG

#### Device Event

Time

Device

Event Type

Description / Detail

#### System Event

Time

Device

Event Type

Description / Detail

#### Config Log

Time

Device

Event Type

Description / Detail

## TEAM MEMBERS

### Display

Name

Email

System Permissions

Network Managed

Status

Last Login

Action

### Invite New Member

User Email

Networks

Permission

## ORGANIZATION

### INVENTORY

#### Devices

Network

Model

Serial Number

MAC Address

Registered Time

Registered By

#### Register Device

Pending Approval:

- Serial Number
- Model
- MAC

Manually:


- Serial Number

SYSTEM INFORMATION
<b>Usage</b>
CPU
Memory
Disk
System Up Time
Software Version
Check for Update
<b>EMAIL ALERTS</b>
<b>Mail Server</b>
SMTP Server
SMTP Port
Authentication
Username
Password
From Email Address
To Email Address
Subject
<b>BACKUP &amp; RESTORE</b>
<b>Configuration Backup</b>
Name
Network
Time
Creator
Action

<b>System Backup</b>
Backup System Configuration
Restore System Configuration
<b>ACCOUNT PROFILE</b>
Edit Profile
Password
Reset
Reboot
Two-Factor Authentication
Notification Settings
Logout
<b>SUPPORTED MODELS</b>
<b>Indoor Access Point</b>
EWS357-FIT
EWS377-FIT
<b>Outdoor Access Point</b>
EWS850-FIT
<b>L2 PoE Switch</b>
EWS2910P-FIT
EWS7928P-FIT
EWS7928FP-FIT
EWS7952P-FIT
EWS7952FP-FIT

DIMENSIONS & WEIGHTS
<b>FitController (Per Device)</b>
Weight: 0.36 lb (165g)
Length: 6.02" (153mm)
Width: 3.04" (77.4mm)
Height: 0.98" (25mm)
<b>Packaging</b>
Weight: 0.57 lb (260g)
Length: 6.99" (177.75mm)
Width: 3.99" (101.5mm)
Height: 1.71" (43.5mm)
<b>Certification</b>
FCC
IC
<b>Package Contents</b>
1 – FitController
1 – Screw Position Identifier
1 – Wall Mount Screw Kit
(Exclude Power Adapter)
<b>Warranty</b>
1 Year

## Product Dimensions



# Product Images



Mounting Holes

